

Product Technical Sheet

Mad Designer Project 2015

MACROLUX

MACROLUX s.r.l. 31020 San Vendemiano Treviso - Italia Via Padania, 67/69 t. +39 0438 470773 f. +39 0438 470295 p. iva 03547130264 macrolux@macrolux.net www.macrolux.it



VIRGO 60 SPOT FOR ML_30 PROFILE

Technical Description

Adjustable +/- 90° lighting projector made of aluminium matt black and silky white coated with telescopic structure by articulated mechanical arms. The positioning of the spots in the profile ML_30 can be done by the use of a bracket that allows the change of their position and/or integration every time it is desired.

COB LED sources with high efficiency and durability, 10W 350mA, 3000°K, 20°/34°, 1025lm, 102,5lm/W, color tolerance 3 McAdams, Production tolerance of flux and efficiency: +/- 15% Min. CRI > 95 Operating Life: 50,000hrs.

Installation:

Anchored to ML_30 profiles by bracket.

Dimensions:

VIRGO 60 SPOT

D = 65 mm H = 96 mm

Finishings:



nero texturizzato
texturized black



bianco texturizzato
texturized white

VIRGO 60 LED COB 10W 3000°K 1025lm 102,5lm/W CRI>90 350mA classe A++

IP
40



Available also in 2700°K - 4000°K version.

VIRGO 60, SPOT LED COB

Adjustability +/-90°

